


Pipes are made of white oak Keyboard is made of rosewood with ebony sharps

Keyboard is in a position which allows the use of a normal chair Blower (110 Volt AC) and the reservoir are incorporated in the instrument



Compass ranges from 1.C - 5.D (51 notes)

Organ has mechanical key action

Case is made of white oak with a WATCO oil natural finish


Keyboard is made of rosewood with ebony sharps


Stops are operated with the protruding sliders on the left side of the case

Pipes of the stop Praestant 2' are of polished tin (70 % sn)

Pipes No. 1-12 of the Gedackt 8' are located behind the case Keyboard is in a position which allows the use of a normal chair

Blower (110 Volt AC) and the reservoir are incorporated in the instrument





Fergus Ontario Canada N1M 2W8 Small is beautiful ....

Brunzema Organs, Inc., Fergus, Ontario, has built a new organ for the W. A. Humphries residence, New York City. This practice organ stands at one end of the living room. The voicing is gentle in accordance with the size of the room, but folding doors may be opened to increase the instrument's size, both tonally and visually. With  $8\frac{1}{2}$  stops, the organ is nevertheless compact, containing both blower and reservoir within its case, and standing under 8' tall. Stop knobs are of ebony, keyboards of ebony and rosewood, and case of bleached white oak. The inaugural recital was played by Thomas Brown of Bethlehem, CT. Photo by Michael Belenky © 1988.

## MANUAL I

- 8' Gedackt 4' Praestant
- 2' Floete
- 11/3' Quinte

## MANUAL II

- 8' Spitzfloete 4' Rohrfloete
- 2<sup>2</sup>/<sub>3</sub> Quinte (treble) 2' Oktave
- 8' Regal

## PEDAL I/Pedal II/Pedal

